(30) Priority Data: 60/137,171

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number:	WO 00/49952
A61B 17/22, A61N 7/00	A1	(43) International Publication Date:	31 August 2000 (31.08.00)

PCT/US00/04484 (81) Designated States: CA, JP, European patent (AT, BE, CH, CY, (21) International Application Number: (22) International Filing Date: 22 February 2000 (22.02.00)

US

(71) Applicant: SCIMED LIFE SYSTEMS, INC. [US/US]; One

23 February 1999 (23.02.99)

Scimed Place, Maple Grove, MN 55311-1565 (US).

(72) Inventors: TALPADE, Dnyanesh; 4903 Arrowood Lane North, Plymouth, MN 55442 (US). HEKTNER, Thomas, R.; 825 Navajo Road, Medina, MN 55311 (US).


(74) Agents: DOHMEN, Luke et al.; One Scimed Place, M.S. A150, Maple Grove, MN 55311-1565 (US).

DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT,

Published

With international search report.

(54) Title: METHOD OF USING FOCUSED PRESSURE FRONTS IN MYOCARDIAL REVASCULARIZATION



(57) Abstract

A method of producing an angiogenic response in heart tissue using a lithotriptor.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

ı	AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
١	AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
1	AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
١	ΑŪ	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ı	ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
I	BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
ı	BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
١	BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
١	BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
ı	BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
1	BJ	Benin	ΙE	Ireland	MN	Mongolia	UA	Ukraine
١	BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
١	BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
1	CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
İ	CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
ı	CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
1	СН	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
	CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	-	
Į	CM	Cameroon		Republic of Korea	PL	Poland		
1	CN	China	KR	Republic of Korea	PT	Portugal		
	CU	Cuba	KZ	Kazakstan	RO	Romania		
	CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
Į	DE	Germany	LI	Liechtenstein	SD	Sudan		
	DK	Denmark	LK	Sri Lanka	SE	Sweden		
	EE	Estonia	LR	Liberia	SG	Singapore		
	!							

Method of Using Focused Pressure Fronts in Myocardial Revascularization

Field of the Invention

The present invention generally relates to cardiovascular disease. More specifically, the invention relates to myocardial revascularization. Those skilled in the art will recognize the benefits of applying the present invention to similar fields not discussed herein.

Background of the Invention

Extra-corporeal shock-wave lithotripsy (lithotripsy) is a medical procedure that has traditionally been used to disintegrate renal (kidney) stones. The term, lithotripsy is derived from a Greek work which literally means "stone crushing". This medical "stone crushing" technique has been demonstrated to be effective on kidney, upper ureteral and biliary stones (gallstones) in human patients. The technique is noninvasive and eliminates the need for the more conventional stone removal procedures, such as open surgery.

The number and variety of medical methods available to repair the effects of cardiovascular disease has increased rapidly over the last several years. More particularly, alternatives to open heart surgery and cardiovascular by-pass surgery have been extensively investigated, resulting in non-surgical procedures such as percutaneous transluminal coronary angioplasty, laser angioplasty, and atherectomy. These procedures are primarily directed toward the reduction of stenosis within the vasculature of a patient by either expanding the lumen through the use of a balloon, or ablating or otherwise removing the material making up the stenosis.

While these procedures have shown considerable promise, many patients still require bypass surgery due to such conditions as the presence of extremely diffuse stenotic lesions, the presence of total occlusions and the presence of stenotic lesions in

extremely tortuous vessels. Also, some patients are too sick to successfully undergo bypass surgery, and because the above treatments require surgical backup in the case of complications, they are untreatable. Some patients requiring repeat bypass surgeries are also untreatable.

One alternative to these procedures is known as Laser Myocardial Revascularization (LMR). In LMR, channels are formed in the heart wall with a laser. These channels provide blood flow to ischemic heart muscle. A history and description of this method is presented by Dr. M. Mirhoseini and M. Cayton in "Lasers in Cardiothoracic Surgery" in Lasers in General Surgery (Williams & Wilkins; 1989) pp. 216-223.

In the procedure described therein, a CO sub 2 laser is used to produce channels in the heart wall from the epicardium through the endocardium. This procedure follows a surgical cutdown. External pressure is used to stop bleeding from the interior of the heart to the outside. Dr. Mirhoseini has documented that although the channel is sealed at the epicardial layer, it remains patent in the endocardial and myocardial layers. Laser energy is transmitted from the laser to the epicardium by means of an articulated arm device that is commonly used for CO sub 2 laser surgery.

Further research in this general field indicated that the therapeutic benefits of the LMR procedure might not have been caused by increased perfusion but, instead, were an angiogenic affect stimulated by an injury to the heart wall. Typically, the heart does not re-grow muscle tissue which is dead. Angiogenises is the growth of vibrant muscle tissue in areas that have necrossed. Other methods of causing a heart wall injury include spark-ablation, mechanical injury, and direct injection of fluid. At a minimum, all know procedures currently are invasive or minimally invasive. Certainly, a non-invasive method of creating an angiogenic affect would be advantageous.

Summary of the Invention

The present invention improves upon the prior art by providing a non-invasive method of trans-myocardial revascularization. The invention further contemplates using commercially available lithotriptors to produce focused acoustic waves. The waves may be directed to heart tissue and thereby induce a controlled injury sufficient

to improve cardiac function. Control of the focus of the lithotriptor may provide the ability to create specific patterns of injury to the heart or to provide a diffuse injury over a relatively large portion of the heart wall.

Brief Description of the Drawings

Figure 1 depicts an electro-hydraulic lithotriptor.

Figure 2 depicts a diffuse injury pattern.

Figure 3 depicts an array of injuries.

Figure 4 depicts a stereotactic lithotriptor.

Detailed Description of the Invention

The following detailed description should be read with reference to the drawings in which like elements in different drawing are numbered identically. The drawings, which are not necessarily to scale, depict selected embodiments and are not intended to limit the scope of the invention.

Examples of constructions, materials, dimensions, and manufacturing processes are provided for selected elements. All other elements employ that which is known to those skilled in the field of the invention. Those skilled in the art will recognize that many of the examples provided have suitable alternatives that may also be used.

Lithotripsy requires a patient to be immersed in a large tank of water. Figure 1 depicts a patent 10 positioned in tank 15. Tank 15 is filled with water 17. Figure 1 further depicts a spark gap electrode 20 which generates shock waves 30. Shock waves 30 propagate through water 17 until shock waves 30 contact patient 10. The shock wave 30 may be directed to any part of the patient's body 10 through careful positioning of the patient 10 relative to the electrode 20 and by using a parabolic reflector 25 to focus the wave 30.

In general, the system depicted is an electro-hydraulic spark gap lithotriptor, which is commercially available from Domier Medical Systems. Electro-hydraulic systems create a diverging pulse or explosion of energy which may be distributed over

an area of 15-20 square mm. Other systems include piezoelectric methods are available from Wolf. Inc. and electromagnetic methods from Siemens.

These other systems do not necessarily incorporate a tank of water. For example, piezoelectric systems create a focused shock wave by arranging a number of piezoelectric crystals in an array. That array may be affixed to the interior surface of a concave dish and thereby create focused waves. Advantageously, the converging wave of piezoelectric system may be focused on an area as small as 2-3 square mm. Furthermore, this system may be used with a patient who is positioned on a cushion or bag which is filled with water or an acoustic gel.

Any of the known lithotripsy systems available may, in the inventive method, be used to create an injury to cardiac tissue. As depicted in Figure 2, energy from the lithotriptor 35 may be diffusely focused on a relatively large portion 40 of the heart. Alternatively, Figure 3 depicts lithotriptor 35 intensely focused on the heart in such a way as to produce an array 45 of injured tissue.

Careful control of the lithotripsy system may be required to take full advantage. For instance, the system may be controlled by an ECG gating system to time the pulses with the patient's heart beats. Other acoustic or x-ray imaging systems could be used to control the focal point of the wave as the heart is moving.

Figure 4 depicts a stereotactic lithotripsy system which uses a number (3 shown) of spark gap wave generators 20 to direct and manipulate the pressure waves 30 from different angles for more precise control of the location of the injury to patient 10. An advantage of this system is that each of the generators 20 can be of lower energy but the focal points sees the same effective energy. This will result in precise focusing with little collateral damage to surrounding tissue.

It may be appreciated that drugs or genes may also be provided to augment the procedure and thereby improve any angiogenic affect. A wide variety of drugs or genes are known in the art including but not limited to thrombolytics, glycoproteins, anti-thrombotics, recombinant glycoproteins, anti-proliferatives, recombinant glycoproteins, antiarrhythmics, peptides, beta blockers, calcium channel blockers, recombinant peptide/proteins, vasodilators, recombinant peptide/proteins, genetic material, vasoconstrictors, inorganic ions or glycoproteins. Drugs may delivered locally, systemically or directly to a desired area of the heart. Drugs may be delivered before, after or during the lithotripsy procedure.

WO 00/49952 PCT/US00/04484 5

While the specification describes the preferred designs, materials, methods of manufacture and methods of use, those skilled in the art will appreciate the scope and spirit of the invention with reference to the appended claims.

We claim:

1. A method for producing a controlled injury response in heart tissue comprising:

focusing shockwave energy on the heart tissue.

2. The method of claim 1 further comprising:

providing a lithotriptor; and

controlling the lithotriptor such that the shockwave energy is focused on the cardiac tissue.

3. The method of claim 1 further comprising:

focusing the shockwave energy relatively diffusely about the cardiac tissue such that the energy is distributed over a relatively large amount of cardiac tissue.

4. The method of claim 1 further comprising:

focusing the shockwave energy on a relatively small amount of cardiac tissue.

5. The method of claim 4 further comprising:


focusing the shockwave energy on several different portions of the cardiac tissue such that an array of injuries is created.


- 6. The method of claim 2 further comprising:

 providing controls which may time a pulse of shockwave energy with a beat of the heart.
- The method of claim 2 further comprising:
 providing a stereotactic lithotripsy system.
- 8. The method of claim 1 further comprising:
 providing a drug or gene to the cardiac tissue before, after or during focusing of shockwave energy upon the cardiac tissue.
- 9. A method for inducing angiogenesis in a human heart comprising: focusing a shock wave on the heart.
- 10. The method of claim 9 further comprising:
 providing a lithotriptor as a source of the shock wave.
- 11. The method of claim 10 further comprising:
 providing at least two lithotriptors aligned such that the shock waves
 produced by the lithotriptors impact the heart from different directions.
- 12. The method of claim 9 further comprising:
 controlling the timing of the shock waves to coincide with the beating of the heart.
- 13. The method of claim 9 further comprising:
 producing a diffuse injury to the heart.
- 14. The method of claim 9 further comprising:
 producing an array of injured areas on the heart.
- 15. The method of claim 9 further comprising:
 introducing a drug or gene into the heart.


- 16. A system for producing an angiogenic injury in a human heart comprising: an array of lithotriptors focused on the heart.
- 17. The system of claim 16 further comprising controls which time pressure waves generated by the lithotriptor to coincide with beating of the heart.

1/2





2/2



ional Application No

PCT/US 00/04484 A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A61B17/22 A61 A61N7/00 According to International Patent Classification (IPC) or to both national classification and IPC Minimum documentation searched (classification system followed by classification symbols) IPC 7 A61B A61N Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Category ° Relevant to claim No. X US 4 957 099 A (HASSLER DIETRICH) 16 18 September 1990 (1990-09-18) column 1, line 7 - line 13; figure 1 17 DE 31 46 628 A (DORNIER SYSTEM GMBH) 17 1 June 1983 (1983-06-01) claim 1; figure 1 Y WO 98 07469 A (MARLINGHAUS ERNST H ;STORZ 16 MEDICAL AG (CH)) 26 February 1998 (1998-02-26) page 3, paragraph 2 DE 195 43 741 C (WOLF GMBH RICHARD) 16 22 May 1997 (1997-05-22) column 1, line 1 - line 13; figure 1 -/--X Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents : "I later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance Invention "E" earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone filing date "L" document which may throw doubts on priority claim(e) or which is cited to establish the publication date of another citation or other special reason (as specified) "document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "O" document referring to an oral disclosure, use, exhibition or document published prior to the international filing date but later than the priority date claimed *&* document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 23 May 2000 06/06/2000 Name and mailing address of the ISA **Authorized officer** European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni, Fax: (+31-70) 340-3016 Ducreau, F

1

Inte onal Application No PCT/US 00/04484

		PCT/US 00/04484
	tion) DOCUMENTS CONSIDERED TO BE RELEVANT	
ategory *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 38 12 838 A (SCHUBERT WERNER) 2 November 1989 (1989-11-02) the whole document	16
A	DE 43 12 264 A (SIEMENS AG) 20 October 1994 (1994-10-20) abstract; figure 1	16
A	US 4 693 247 A (BRISSON ALFRED G ET AL) 15 September 1987 (1987-09-15) abstract; figures 1-4	16,17

In...mational application No.

PCT/US 00/04484

Box I Observations where certain claims were found unsearchable (Continua	tion of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Ar	ticle 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, na	mely:
Claims Nos.: because they relate to parts of the International Application that do not comply with the an extent that no meaningful international Search can be carried out, specifically:	e prescribed requirements to such
Claims Nos.: because they are dependent claims and are not drafted in accordance with the second	d and third sentences of Rule 6.4(a).
Box ii Observations where unity of invention is lacking (Continuation of item	2 of first sheet)
This International Searching Authority found multiple inventions in this international application,	as follows:
As all required additional search fees were timely paid by the applicant, this Internation searchable claims.	nal Search Report covers all
As all searchable claims could be searched without effort justifying an additional fee, of any additional fee.	this Authority did not invite payment
As only some of the required additional search fees were timely paid by the applicant covers only those claims for which fees were paid, specifically claims Nos.:	, this International Search Report
4. No required additional search fees were timely paid by the applicant. Consequently, t restricted to the invention first mentioned in the claims; it is covered by claims Nos.:	his International Search Report is
Remark on Protest The additional search fees were No protest accompanied the pay	accompanied by the applicant's protest. ment of additional search fees.

information on patent family members

Intex mail Application No PCT/US 00/04484

	ent document in search report		Publication date	Patent family member(s)	Publication date
US ·	4957099	A	18-09-1990	DE 58900510 EP 0327917	
DE	3146628	A	01-06-1983	EP 0081051 JP 1344687 JP 58130034 JP 61008686 US 4745920 US 4685461	C 29-10-1986 A 03-08-1983 B 17-03-1986 A 24-05-1988
WO	9807469	A	26-02-1998	EP 0929347	A 21-07-1999
DE	19543741	C.	22-05-1997	NONE	- <u></u>
DE	3812838	A	02-11-1989	DE 3709404 DE 3812840	
DE	4312264	A	20-10-1994	WO 9423793 DE 59408477 EP 0693954 JP 8508432 US 5817021	D 12-08-1999 A 31-01-1996 T 10-09-1996
US	4693247	Α	15-09-1987	NONE	